


Blue • Nitrile • Powder-Free • Non-Sterile



Suitable for industrial use especially involving small electronic parts handling or food & drugs.

Type — Powder-Free **Surface** — Smooth/Textured

Specification — Non-Sterile, Ambidextrous, Disposable

Cuff — Beaded **Color** — Blue

Main Material — Natural Concentrated Latex

Parameter — 1. Silicone-Free 2. Chloride Max 0.85 mg./g.
3. Amide Non-Detectable 4. DOP Non-Detectable

Quality —    

Standard Packing — 100 Pieces / Dispenser Box
10 Dispenser Boxes / Carton
1,200 Cartons / 20'FCL
2,400 Cartons / 40'FCL

Dimensions	XS	S	M	L	XL
Width (mm.)	74-78	82-85	92-95	103-106	112-115
Length (mm.)	ASTM		Minimum for all size 230 mm.		
	EN455		Minimum for all size 240 mm.		
Thickness (mm.)	Cuff	0.05-0.09 mm.			
	Palm	0.07-0.11 mm.			
	Finger	0.08-0.12 mm.			

**Easy Donning, Excellent Comfort,
High Quality, High Resistance to Tearing,
Low Protein, Fit with Hands,
Complying with ISO 9001:2015, FDA 510K,
ASTM-D-3578, EN455 PART 1-3, CE**

Product Properties : Nitrile Powder Free Non-Sterile

Type	: Powder-Free
Specification	: Non-Sterile, Ambidextrous, Disposable
Cuff	: Beaded
Surface	: Smooth/Textured
Color	: Blue
Main Material	: Natural Concentrated Latex
Parameter	1. Silicone-Free 2. Chloride Max. 0.85 mg./g. 3. Amide Non Detectable 4. DOP Non Detectable

Type	Protein Content	Powder control			
Powder-Free	<= 50 µg/g	<= 2 mg/glove			
Tensile	ASTM	EN455			
Before Aging	>= 14 Mpa	-			
After Aging	>= 14 Mpa	-			
Elongation	ASTM	EN455			
Before Aging	>= 400%	-			
After Aging	>= 350%	-			
Dimensions	XS	S	M	L	XL
Width (mm.)	74-78	82-85	92-95	103-106	112-115
Length (mm.)	ASTM			Minimum for all size 230 mm.	
	EN455			Minimum for all size 240 mm.	
Thickness (mm.)	Cuff	0.05-0.09 mm.			
	Palm	0.07-0.11 mm.			
	Finger	0.08-0.12 mm.			

Quality : Conformed to ASTM - D3578 - 01 ae2
and FDA 510 (K)
Conformed to EN455 part 1-3 and CE